CPI0805JR47R-10

PHYSICAL DIMENSIONS:


0.8

A 2.00 [.079] ± 0.20[.008]

B 1.25 [.049] ± 0.20[.008]

C 0.90 [.035] ± 0.10[.004]

D 0.50 [.020] ± 0.20[.008]



ELECTRICAL CHARACTERISTICS:									
	L (μΗ) @ 1MHz ± 20%	DCR (Ω)	l (Max)						
Nom	0.47								
Min	0.38								
Max	0.56	0.125	1100mA						

NOTES: UNLESS OTHERWISE SPECIFIED


- 1. TAPED AND REELED per CURRENT EIA SPECIFICATIONS 7" REELS, 4000 PCS/REEL, PAPER TAPE.
- 2. TERMINATION FINISH IS 100% MATTE Sn OVER Ni.
- 3. COMPONENTS SHOULD BE ADEQUATELY PREHEATED BEFORE SOLDERING.
- 4. I (MAX.) IS BASED ON THE MAXIMUM SUSTAINED CURRENT APPLIED WHILE MAINTAINING A MAXIMUM TEMPERATURE RISE OF 40°C OVER AMBIENT.
- 5. OPERATION TEMPERATURE TEMP: -55°C~+125°C (INCLUDING SELF-HEATING)
- 6. COSMETIC SPECIFICATION REFER TO WI-QA-124.

0.0 1 10 100 1,000


Ls vs Frequency

Frequency (MHz)

Ls vs DC BIAS Current




LAND PATTERNS FOR REFLOW SOLDERING



(For wave soldering. add 0.763 [0.030] to this dimension)

RECOMMENDED SOLDERING CONDITIONS





DIMENSIONS ARE IN mm [INCHES].				This print is the property of Lair Tech. and is loaned in confidence	d				
				subject to return upon request of			= 44	J'	
				with the understanding that no copies shall be made without the	.	Laird			
				written consent of Laird Tech. Al	"				
				rights to design or invention are reserved.					
				PROJECT/PART NUMBER:					
				PROJECI/PART NUMBER:	REV	PART T	YPE:	DRAWN BY:	
С	CHANGE PLASTIC TAPE TO PAPER TAPE	04/17/14	QU	CPI0805JR47R-10) co-	-FIRE	QU	
В	UPDATE LAIRD LOGO AND NOTES 5	08/05/13	QU	DATE: 03/01/11	SCALE:	NTS	SHEET:	l .	
Α	ORIGINAL DRAFT	03/01/11	QU	, ,	TOOL #	NIO	1		
REV	DESCRIPTION	DATE	INT		100L #	_	I 1	of 1	