

ELECTROSEAL[™] ECE152 Electrically Conductive Elastomer

LAIRD[™] ELECTROSEAL[™] ECE152

The ELECTROSEAL[™] ECE152 Electrically Conductive Elastomer from Laird Performance Materials is a nickel coated graphite filled silicone elastomer. It has excellent EMI shielding at temperature extremes, ozone and pressure resistant, and has a long shelf life. This material is designed for molded and extruded EMI gaskets, or can be formed into sheets and then die cut.

FEATURES AND BENEFITS

- Nickel coated graphite filled silicone with balance performance
- Low hardness
- Utilized both conductive and non-conductive materials
- Retain strong EMI protection
- Available for both molding and extrusion
- RoHS compliant and halogen free per IEC-61249-2-21 standard

MARKETS

- Telecom
- Datacom
- Industrial
- Automotive

CHA	RAC	TFR	ISTI	CS
	RAC			00

Item	Unit	Typical Value ^{^1}	Test Method
Base elastomer		Silicone	-
Conductive filler		Nickel coated graphite	-
Color	-	Black	Visual inspection
Density	g/cm ³	2.2	ASTM D792
Hardness, Shore A ^{^2}	-	55	ASTM D2240
Volume resistivity	Ohm-cm	0.05	MIL-DTL-83528E Para 4.5.11
Tensile strength	MPa	0.9	ASTM D412
Elongation	%	200	ASTM D412
Tear strength	N/mm	9	ASTM D624(die C)
Compression set	%	10	ASTM D395(B) 22hrs@125°C
Outgassing, TML	%	0.1	ASTM E595
Outgassing, CVCM	%	0.02	ASTM E595
Shielding Eff ^{^3}	dB	100	MIL-DTL-83528E para 4.5.12
Operation temp.	°C	-40 to 155	-

^1: Typical values above are based on standard test methods. ^2: This will be varied with part size and processing process.

^3: Average SE @10GHz

SHELF LIFE

12months at 23°C/60%R.H.

DuPont Electronics & Industrial Americas: +1 866 928-8181 Europe: +49 8031 2460 0 China: +86 7552 7141166 www.laird.com

Laird Performance Materials



EM-ENSL-DS-ECE152_0123

Any information furnished by Laird Technologies, Inc. or any of its affiliates or agents ("Laird") is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird materials rests with the end user. Laird makes no warranties as to the fitness, merchantability, suitability or non-infringement of any Laird materials or products for any specific or general uses. Laird shall not be liable for incidental or consequential damages of any kind. All Laird products are sold pursuant to the Laird's Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2021 Laird Technologies, Inc. All Rights Reserved. Laird''', Laird Technologies''', the Laird Logo, and other marks are trademarks or registered trademarks of Laird Technologies, Inc. or an affiliate company thereof. DuPont Merein provides a license under any Laird or any third-party intellectual property rights.