




| 8 | 7 | 6 | 5 |
|--------------------------|------------------------|--------------------|-----------------------------|
| BASE PART NUMBER | THICKNESS | MATERIAL | STANDARD LENGTH PART NUMBER |
| 0097-0537 (STANDARD) | 0.178 ± 0.008 [0.0070] | BeCu ALLOY 25 TH01 | 0097053702 |
| 0098-0537 (ULTRASOFT) | 0.102 ± 0.008 [0.0040] | BeCu ALLOY 25 TH01 | 0098053702 |

| PLATING CODE TABLE | |
|---|---------------|
| NUMBER CODE | PLATING TYPE |
| 02 | BRIGHT FINISH |
| 17 | BRIGHT TIN |
| 19 | BRIGHT NICKEL |
| MORE PLATING OPTIONS AVAILABLE CONTACT LAIRD SALES FOR DETAILS | |



CUSTOM LENGTHS AVAILABLE IN MULTIPLES OF PITCHES OR "FINGERS"
 LENGTH = PITCH X N
 WHERE 'PITCH' IS 12.70 AND 'N' IS NUMBER OF PITCHES
 EXAMPLE: 15 x 12.70 = 190.50MM LONG
 SEE BOTTOM LEFT FOR CUSTOM LENGTH PART NUMBERING



CUSTOM LENGTH PART NUMBER CONFIGURATION:
 009X 0537 XX X OXXXX

7 FOR STANDARD
8 FOR ULTRASOFT

PLATING CODE
(SEE TABLE)

LENGTH IN MM TO
ONE DECIMAL PLACE

N FOR NO ADHESIVE
T FOR ADHESIVE

EXAMPLE: 0098053717N01905
 ULTRASOFT, BRIGHT TIN PLATING, NO TAPE, 190.50MM LONG (15 FINGERS)

| | | |
|---|--|--|
| UNITS: MM [INCH] | Laird | LAIRD DRAWING NUMBER: 0097-0537-SALES |
| TOLERANCES: X.X = ± 0.4 X.XX = ± 0.2 X.XXX = ± 0.1 | | THIS IS AN UNCONTROLLED SALES DRAWING. THE DIMENSIONAL CHARACTERISTICS AND TOLERANCES OF THIS PART SHOWN ON THIS DRAWING AS A REFERENCE TO THE DIMENSIONAL SPECIFICATIONS OF THE LAIRD STANDARD PRODUCTION DRAWING FOR THIS PART. ANY SUBSEQUENT CHANGES TO THE STANDARD PART SPECIFICATION WILL SUPERSEDE THIS SALES DRAWING. |
| ANGULAR: X° = ± 3° X.X° = ± 1.0° | 3RD ANGLE PROJECTION DESIGNED IN SOLIDWORKS | SIZE B |
| | SCALE: 2:1 | SHEET 1 OF 1 |