



REVISIONS				
REV.	DESCRIPTION OF CHANGE	DATE	BY	APPROVED
0	INITIAL LAIRD RELEASE	6/28/2021	FJG	FJG

- NOTES:
- CRITICAL DIMENSIONS ARE DESIGNATED BY
 - REFERENCE DIMENSIONS WILL BE SHOWN IN PARENTHESES (DIM)
 - FABRIC SEAM LOCATION MAY VARY
 - FOAM: POLYURETHANE
 - FABRIC: NICKEL PET-TAF FR EcoGreen
 - TAPE: 1.91mm WIDE HI-TEMP ADHESIVE
 - LINER: NO EXTENDED RELEASE LINER
 - CARRIER: NO CARRIER

<div>- ROHS -</div> <div>THIS PRODUCT IS FULLY COMPLIANT TO LT-GES-001 WHICH MEETS OR EXCEEDS COMPLIANCE REQUIREMENTS OF EUROPEAN DIRECTIVE 2011/65/EU 'RESTRICTION OF USE OF HAZARDOUS SUBSTANCES'</div>											
A	*CAD MAINTAINED DRAWING* REV. CONTROLLED DOCUMENT MANUAL CHANGES UNAUTHORIZED PRINTED COPIES OF THIS DOCUMENT ARE CONSIDERED UNCONTROLLED.	BLOCK TOLERANCES APPLY TO METRIC UNITS ONLY. DUAL DIMENSIONS IF SHOWN ARE FOR REFERENCE ONLY AND ARE DISPLAYED IN 3 PLACES FOR CONVERSION PURPOSES ONLY	UNITS: MM [INCH]	<div>Laird™</div> <div>3RD ANGLE PROJECTION</div> <div>DESIGNED IN SOLIDWORKS</div> <div>SCALE: 25:1</div> <div>SHEET 1 OF 1</div>		MATERIAL: X1R (SEE NOTES)	PART DESCRIPTION: SHIELDING GASKET	LAIRD PART NUMBER : 4584PAX1R			
			TOLERANCES: X.XX = ± 0.5								
			LENGTHS: 1 - 152 = ± 0.8 152 - 279 = ± 1.3 279 - 1219 = ± 2.5 1219 - 1778 = ± 4.8 1778 - 2438 = ± 6.4								
			ANGULAR: X.X° = ± 1.0°								
	3D MODEL REQUIRED FOR COMPLETE DOCUMENTATION	INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL AND PROPRIETARY TO LAIRD. IT MAY NOT BE DISCLOSED TO ANYONE WITHOUT WRITTEN AUTHORIZATION FROM LAIRD TECHNOLOGIES.									

4. FOAM: POLYURETHANE

5. FABRIC: NICKEL PET-TAF FR EcoGreen

6. TAPE: 1.91mm WIDE HI-TEMP ADHESIVE

7. LINER: NO EXTENDED RELEASE LINER

8. CARRIER: NO CARRIER

MODEL BY:
FRANK GIBILTERRA

DATE:
6/28/2021

REV:
0