



SEE DETAIL "A"
SECTION A-A



DETAIL "A"
SCALE: 4:1

IMPEDANCE (Z)			
Frequency	25 MHz	100 MHz	300 MHz
Nominal (REF)	166 Ω	318 Ω	444 Ω
Minimum	- Ω	239 Ω	- Ω



AGILENT E4991A Impedance/Material Analyzer
HP 16092A Test Fixture


BARE DIMENSIONS

A	14.99 [.590]	±	0.25 [.010]
B	6.99 [.275]	±	0.15 [.006]
C	28.57 [1.125]	±	0.76 [.030]

WEIGHT/K 19.41 kgs. 42.8 Lbs.

NOTES: UNLESS OTHERWISE SPECIFIED

1. COSMETIC SPECIFICATION REFER TO WI-QA-038.



DIMENSIONS ARE IN MM [INCHES].				This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.		Laird		
F	UPDATE Z SPEC AND ADD NOTES	02/04/15	Jcai	PROJECT/PART NUMBER: 28B0590-200		REV F	PART TYPE: FERRITE BEAD CORE	DRAWN BY: LNK
E	UPDATE FORMAT, Z SPECS, ADD CURVE REMOVE COATING SPECS, CHG P/N	07/15/03	JRK	DATE: 8/03/92	SCALE: 2 : 1	MATERIAL: FERRITE		
D	UPDATE PRINT FORMAT ADD CHAMFER DETAIL	04/08/02	JRK	CAD # 28B0590-200-F	TOOL # B0590			
C	CHG P/N TO 28B0590-20*, ADD COATING SPECS	04/01/99	I.S.					
B	UPDATED P/N FOR NEW CATALOG	12/11/95	JBE					
A	ORIGINAL DRAFT	8/03/92	LNK					
REV	DESCRIPTION	DATE	INT					