




SEE
DETAIL "A"



DETAIL A



IMPEDANCE (Z)			
Frequency	25 MHz	100 MHz	300 MHz
Nominal (REF)	144 Ω	271 Ω	395 Ω
Minimum	- Ω	217 Ω	- Ω



AGILENT E4991A Impedance/Material Analyzer
HP 16092A Test Fixture


BARE DIMENSIONS

A	16.99 [.669]	+	0.36 [.014]
B	7.01 [.276]	+	0.20 [.008]
C	24.99 [.984]	+	0.64 [.025]

WEIGHT/1000 23.16 kgs 51.05 lbs

NOTES:

1. COSMETIC SPECIFICATION REFER TO WI-QA-038.



DIMENSIONS ARE IN mm (INCHES).				This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.			
J	UPDATED Z SPEC AND TEMPLATE	04/09/15	Jcai				
H	RE-ACTIVATE PRINT	09/21/06	JRK				
G	UPDATE FORMAT, Z SPECS & CURVE, REM COATING SPECS CHANGE P/N TO -000	05/20/03	JRK				
F	UPDATE PRINT FORMAT ADD DETAIL, UPDATE WGT	04/17/02	JRK				
E	CHG P/N TO 28B0669-00*, ADD COATING SPECS	04/07/99	I.S.				
D	UPDATED P/N FOR NEW CATALOG	9/22/95	JBE				
C	CORRECTED IMPEDANCE SPEC.	2/01/95	JBE				
B	CORRECTED (mm) DIMENSION	1/27/94	JAZ				
REV	DESCRIPTION	DATE	INT				