


SCALE DRAWING 1:1



29D3430-000

ELECTRICAL TESTING

TEST:	Z	Z
# TURNS	1	1
AWG	-	-
FREQUENCY	25 MHz	100 MHz
NOMINAL	26 Ω	45 Ω
MINIMUM	19 Ω	34 Ω
MAXIMUM	- Ω	56 Ω
WEIGHT/1000	3.86 Kgs.	8.5 Lbs.

RoHS

CORE DIMENSIONS:

A	36.32 [1.430]	+	0.56 [.022]
B	7.62 [.300]	+	0.15 [.006]
C	3.43 [.135]	+	0.13 [.005]
D	2.77 [.109]	+	0.13 [.005]
E	2.84 [.112]	+	0.13 [.005]
F	1.57 [.062]	+	0.05 [.002]
G	2.39 [.094]	+	0.05 [.002]
H	2.93 [.115]	+	0.05 [.002]
J	1.40 [.055]	+	0.05 [.002]
K	1.42 [.056]	+	0.05 [.002]

NOTES:

1. COSMETIC SPECIFICATION REFER TO WI-QA-038.

DIMENSIONS ARE IN mm [INCHES].				This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.		Laird		
G	UPDATE COMPANY LOGO	02/22/17	QIU	PROJECT/PART NUMBER:		REV	PART TYPE:	DRAWN BY:
F	UPDATE COMPANY LOGO ADD Kgs TO wgt	08/28/09	JRK	29D3430-000		G	CNZ CORE	DJB
E	UPDATE PRINT FORMAT. ADD Z SPEC (MAX). REVISE DIMENSIONS, TOLERANCES, Z SPECS, & WEIGHT/K.	10/05/00	TMB	DATE: 02/26/92		SCALE: 3 : 1		MATERIAL:
D	UPDATE "Z" SPECS, DEL CRITICAL SYMBOLS	01/16/98	I.S.	CAD # 29D3430-000-G		TOOL # D3430		FERRITE
C	UPDATE PRINT FORMAT, ADD GEO. TOL.	08/07/97	I.S.					
B	UPDATED P/N FOR NEW CATALOG	11/14/95	JBE					
A	ORIGINAL DRAFT	02/26/92	DJB					
REV	DESCRIPTION	DATE	INT					