# Laird >

#### SAFETY DATA SHEET

#### 1. Identification

Product identifier Tgrease 300X, Tgrease 880

Other means of identification None.

**Recommended use** Thermal interface material.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer Laird

Address 4707 Detroit Ave Cleveland, Ohio 44102

USA

**Telephone number** +1-216-939-2300

Email clv-customerservice@lairdtech.com

Manufacturer Laird

Address C3&C4 Building, HongTai Industry Park, NO.87 Tai Feng Road, TEDA,

Tianjin, China

**Telephone number** +86(0)22-66298160

**Emergency telephone** 

number

0086-022-66298160 # 825 (24 hours)

Corporate Office Laird PLC

Address 100 Pall Mall, London, SW1Y 5NQ

United Kingdom

**Telephone number** +44 (0)20 7468 4040

Emergency telephone Within USA and Canada: 1-800-424-9300 (Chemtrec). Other Countries: +1-703-527-3887.

number

**Telephone hours** 24 hours per day, 7 days per week. Collect calls accepted.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment, Category 1

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** Very toxic to aquatic life with long lasting effects.

**Precautionary statement** 

**Prevention** Avoid release to the environment.

Response Collect spillage.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

 Tgrease 300X, Tgrease 880
 SDS US

 927606
 Version #: 03
 Revision date: 25-April-2023
 Issue date: 23-December-2015
 1 / 8

Hazard(s) not otherwise classified (HNOC)

None known.

**Supplemental information** 

None.

#### 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name | CAS number  | %       |
|---------------|-------------|---------|
| Filler        | Proprietary | 20 - 80 |
| Zinc oxide    | 1314-13-2   | 10 - 60 |

Composition comments

The specific chemical identity and/or exact percentage of component(s) have been withheld as a

trade secret.

All concentrations are in percent by weight. Components not listed are either non-hazardous or are

below reportable limits.

4. First-aid measures

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

of metal oxides. Silicon oxide fumes.

Rinse mouth. Get medical attention if symptoms occur. Ingestion Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

**General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting

equipment/instructions Specific methods

Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

During fire, hazardous combustion products are released that may include: Carbon oxides. Fumes

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Prevent product from entering drains. Stop the flow of material, if this is without risk. Sweep up or gather material and place in appropriate container for disposal. Following product recovery, flush area with water. Retain and dispose of contaminated wash water. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

#### 7. Handling and storage

Precautions for safe handling

Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

| Components   | Туре  | Value                           | Form                               |
|--|---|---------------------------------|------------------------------------|
| Filler   | PEL   | 5 mg/m3                         | Respirable fraction.               |
|  |   | 15 mg/m3                        | Total dust.                        |
| Zinc oxide (CAS 1314-13-2)                         | PEL   | 5 mg/m3                         | Fume.                              |
|  |   | 5 mg/m3                         | Respirable fraction.               |
|  |   | 15 mg/m3                        | Total dust.                        |
| US. OSHA Table Z-3 (29 CFR Components              | 1910.1000)<br>Type  | Value                           | Form                               |
| Zinc oxide (CAS 1314-13-2)                         | TWA   | 5 mg/m3                         | Respirable fraction.               |
|  |   | 15 mg/m3                        | Total dust.                        |
|  |   | 50 mppcf                        | Total dust.                        |
|  |   | 15 mppcf                        | Respirable fraction.               |
| US. ACGIH Threshold Limit                          | Values  |                                 |                                    |
| Components   | Туре  | Value                           | Form                               |
| Filler   | TWA   | 1 mg/m3                         | Respirable fraction.               |
| Zinc oxide (CAS 1314-13-2)                         | STEL  | 10 mg/m3                        | Respirable fraction.               |
|  | TWA   | 2 mg/m3                         | Respirable fraction.               |
| US. NIOSH: Pocket Guide to                         | Chemical Hazards  |                                 |                                    |
| Components   | Туре  | Value                           | Form                               |
| Filler   | TWA   | 5 mg/m3                         | Respirable.                        |
|  |   | 5 mg/m3                         | Welding fume or pyrophoric powder. |
|  |   | 10 mg/m3                        | Total                              |
| Zinc oxide (CAS 1314-13-2)                         | Ceiling   | 15 mg/m3                        | Dust.                              |
|  | STEL  | 10 mg/m3                        | Fume.                              |
|  | TWA   | 5 mg/m3                         | Fume.                              |
|  |   | 5 mg/m3                         | Dust.                              |
| logical limit values                               | No biological exposure limits noted for   | the ingredient(s).              |                                    |
| osure guidelines                                   | Occupational Exposure Limits are not  | relevant to the current physic  | al form of the product.            |
| propriate engineering<br>trols                     | Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. |                                 |                                    |
| vidual protection measures,<br>Eye/face protection | such as personal protective equipme<br>If contact is likely, safety glasses with  |                                 | ed.                                |
| Skin protection<br>Hand protection                 | For prolonged or repeated skin contact recommended by the glove supplier.   | t use suitable protective glove | es. Suitable gloves can be         |
| Skin protection<br>Other                           | Wear suitable protective clothing. It is  | a good industrial hygiene pra   | ctice to minimize skin conta       |
| Respiratory protection                             | Wear suitable protective clothing. It is a good industrial hygiene practice to minimize skin contact. In case of insufficient ventilation, wear suitable respiratory equipment. If respirators are used, a program should be instituted to assure compliance with OSHA 29 CFR 1910.134. Check with respiratory protective equipment suppliers.            |                                 |                                    |
| Thermal hazards                                    | Wear appropriate thermal protective c   |                                 |                                    |
| neral hygiene<br>siderations                       | Always observe good personal hygien and before eating, drinking, and/or sm  |                                 |                                    |

Tgrease 300X, Tgrease 880 SDS US

927606 Version #: 03 Revision date: 25-April-2023 Issue date: 23-December-2015

#### 9. Physical and chemical properties

**Appearance** 

Physical state Solid.
Form Paste.
Color Grey.
Odor Mild.

Odor threshold Property has not been measured.

**pH** Not applicable (material is insoluble in water).

Melting point/freezing point Property has not been measured.

Initial boiling point and boiling Property has not been measured.

range

Flash point Property has not been measured.

Evaporation rate Property has not been measured.

Flammability (solid, gas) Not flammable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Property has not been measured.

Explosive limit - upper (%) Property has not been measured.

Vapor pressure Not applicable, material is a solid.

Vapor density Not applicable, material is a solid.

Relative density Property has not been measured.

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient Not applicable, product is a mixture.

(n-octanol/water)

Auto-ignition temperature Property has not been measured.

Decomposition temperature Property has not been measured.

Viscosity Property has not been measured.

Other information

Density 2.72 g/cm³
Explosive properties Not explosive.

**Kinematic viscosity** Not applicable, material is a solid.

Oxidizing properties Not oxidizing.

Particle size Property has not been measured.

10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

Thermal decomposition or combustion may produce: Fumes of metal oxides. Carbon oxides.

**products** Silicon oxide fumes.

11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactProlonged skin contact may cause temporary irritation.Eye contactDirect contact with eyes may cause temporary irritation.

**Ingestion** May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

**Acute toxicity** Not expected to be acutely toxic.

Components Species Test Results

Zinc oxide (CAS 1314-13-2)

Acute Inhalation

LC50 Mouse > 5.7 mg/l, 4 Hours

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not relevant, due to the form of the product.

12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Persistence and degradability 
No data is available on the degradability of this product.

**Bioaccumulative potential** No data available on bioaccumulation.

Mobility in soil The product is insoluble in water. Not expected to be mobile in soil.

Other adverse effects No data available for this product.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Local disposal regulations**Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

#### 14. Transport information

DOT

UN3077 **UN** number

Environmentally hazardous substance, solid, n.o.s. (Zinc oxide) **UN proper shipping name** 

Transport hazard class(es)

Class 9 Subsidiary risk Label(s) 9 Ш **Packing group Environmental hazards** 

> Yes Marine pollutant

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions 8, 146, 335, A112, B54, B120, IB8, IP3, N20, T1, TP33

Packaging exceptions 155 Packaging non bulk 213 Packaging bulk 240

IATA

**UN number** UN3077

**UN proper shipping name** Environmentally hazardous substance, solid, n.o.s. (Zinc oxide)

Transport hazard class(es)

9 Class Subsidiary risk 9 Label(s) Packing group Ш **Environmental hazards** Yes **ERG Code** 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**IMDG** 

**UN** number UN3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide) **UN proper shipping name** 

Transport hazard class(es)

9 Subsidiary risk Packing group Ш **Environmental hazards** 

Marine pollutant Yes F-A, S-F **EmS** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

**US** federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not applicable.

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Zinc oxide (CAS 1314-13-2) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

One or more components of the mixture are not on the TSCA 8(b) inventory **Toxic Substances Control Act (TSCA)** 

or are designated "inactive".

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SDS US Tgrease 300X, Tgrease 880

#### SARA 313 (TRI reporting)

| Chemical name | CAS number  | % by wt. |  |
|---------------|-------------|----------|--|
| Filler        | Proprietary | 20 - 80  |  |
| Zinc oxide    | 1314-13-2   | 10 - 60  |  |

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US** state regulations

#### **US. Massachusetts RTK - Substance List**

Filler (CAS Proprietary) Zinc oxide (CAS 1314-13-2)

#### **US. New Jersey Worker and Community Right-to-Know Act**

Filler (CAS Proprietary) Zinc oxide (CAS 1314-13-2)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Filler (CAS Proprietary) Zinc oxide (CAS 1314-13-2)

#### **US. Rhode Island RTK**

Filler (CAS Proprietary) Zinc oxide (CAS 1314-13-2)

#### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

# US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Filler (CAS Proprietary)

#### International Inventories

| Country(s) or region        | Inventory name   | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia                   | Australian Inventory of Industrial Chemicals (AICIS)                   | No                     |
| Canada                      | Domestic Substances List (DSL)   | No                     |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | No                     |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | No                     |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | No                     |
| Korea                       | Existing Chemicals List (ECL)  | No                     |
| New Zealand                 | New Zealand Inventory  | No                     |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | No                     |
| Taiwan                      | Taiwan Chemical Substance Inventory (TCSI)                             | Yes                    |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | No                     |

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information, including date of preparation or last revision

Issue date23-December-2015Revision date25-April-2023

Version # 03

Further information B - Safety Glasses, Gloves

**HMIS**® ratings Health: 0

Flammability: 1 Physical hazard: 0 Personal protection: B

**Disclaimer** 

Laird cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written

based on the best knowledge and experience currently available.